



## 19" Euroline Cabinet (600x600 mm & 600x800 mm)



### FEATURES

Secure, tempered front door with left and right metal frames with handle type locks. 5 different height, 3 different depth, 2 different width

Top cover is suitable for fan units and brushed cable entry

Open/close function, lockable, removable side panels and front/rear doors

Welded corners; sturdy and rugged construction

Bottom case is completely open for large cable entries

Rugged steel for 19" mounting angles

Easy to transport, %100 protection for any transport damages

Easy to assemble

Aesthetic look

High quality production

Reduce %50 shipping cost

Safe to transport, re-transport with cargo

Reduce re-transportation and cargo costs, vertical and ready with elf pallette

Easy to carry, half of cabinet. All in 2ea. Sperate cardboard box for easy to carry.

### STANDARDS

ISO 9001:2000

TSE:EN 61587-1 Mechanical Structures For Electronic Equipment - Tests For IEC 60917 And IEC 60297

**Climatic and Environment:** EN 61587-1/4.2, IEC60068-2-1, IEC60068-2-2, IEC60068-2-30,

**Static Mechanical Load Lifting:** EN61587-1/5.2.1

**Static Mechanical Load Stiffness:** EN61587-1/5.2.2

**Dynamic Mechanical Load Vibration and Shock,**

**Impact:** EN61587-1/5.3.1, EN61587-1/5.3.3,

IEC60068-2-6, IEC60068-2-27,

**Earth Bond:** EN61587-1/6.2

**Flammability:** EN61587-1/6.3

**Degrees Of Protection Provided By Enclosures (Ip Code):** IP20 or IP55, EN61587-1/6.4

### COMPLIANCES

UL and Cul

**Load Carrying Capacity:** 400 kg

**Surface Treatment:** Fosfat coating


**Painting:** Ral7035 / Ral9005

Material Definition and Properties, Thicknesses and Shipment Configuration

Part Definition	Material thickness	Material definition & properties	Shipment Configuration
Top Cover	1,2 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS	1ea.
Upper Case	1,5 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS	1ea.
Bottom Case	1,2 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS	1ea.
Front Door	1,5 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS & 4mm SECURE AND TEMPERED GLASS AND LOCK	1ea.
19" mounting angles	1,5 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 & GALVANIZED COATING	4ea. (2ea. at front, 2ea. at rear)
Rear Door	1,2 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS	1ea.
C-rails	1,5 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 & GALVANIZED COATING	6ea.
Side Doors	1,2 mm	DIN EN 10130 - 99 EREGLI DC-01 7122 CRS	2ea.

# 19" Euroline Cabinets and Racks (600x600mm)

## TECHNICAL DRAWINGS




19" Euroline cabinets width=600 mm depth=600 mm			
Order No	U=44.45 (mm)	h = inside height(mm)	H =outside height(mm)
EU22U66	22	1002,0	1130,0
EU26U66	26	1180,0	1308,0
EU32U66	32	1447,0	1575,0
EU36U66	36	1625,0	1753,0
EU42U66	42	1892,0	2020,0

Shipping Data						
Order No	Quantity	Shipping Dimension (palette) WxDxH	Net Weight (kg)	Gross Weight (kg)	Shipping configuration depth (mm)	Max 19" depth
EU22U66	1	785x390x1460	62,128	78,000		
EU26U66	1	785x390x1613	67,648	84,400		
EU32U66	1	785x390x1800	73,000	79,000		
EU36U66	1	785x390x1950	85,000	91,000		
EU42U66	1	785x390x2300	100,40	119,80		

# 19" Euroline Cabinets and Racks (600x800mm)

## TECHNICAL DRAWINGS



19" Euroline cabinets width=600 mm depth=800 mm			
Order No	U =44.45 (mm)	h = inside height(mm)	H =outside height(mm)
EU22U68	22	1002,0	1130,0
EU26U68	26	1180,0	1308,0
EU32U68	32	1447,0	1575,0
EU36U68	36	1625,0	1753,0
EU42U68	42	1892,0	2020,0

Shipping Data						
Order No	Quantity	Shipping Dimension (palette) WxDxH	Net Weight (kg)	Gross Weight (kg)	Shipping configuration depth (mm)	Max 19" depth
EU22U68	1	972x390x1460	67,620	84,000		
EU26U68	1	972x390x1613	76,270	93,600		
EU32U68	1	972x390x1800	82,00	88,00		
EU36U68	1	972x390x1950	96,00	102,00		
EU42U68	1	972x390x2300	113,62	133,80		